




## VariSorb XL

### Product Overview


- Highest-activity carbon
- Effective in removing VOCs, SO<sub>x</sub>, NO<sub>x</sub>, and Ozone
- Energy-efficient mini-pleat design
- Corrosion-free, non-metal construction
- Easy to retrofit particulate installations
- Fully incinerable
- Mini carbon granule embedded in non-woven synthetic layers



### Specification

Filter Depth (mm)	304
Media Type	Carbon, Impregnated Carbon
Frame Material	Plastic
Special Size Available	No
Header Type	Single Header
Recommended Final Resistance	375 Pa
Max Operating Temperature	51°C
CTC	≥ 60 wt. %
Target Gas	VOC, Acid, Base

Initial Resistance vs. Airflow



### Product Information

Part Number	Nominal Size Inches (W x H x D)	Actual Size mm (W x H x D)	Rated Airflow (CMH)	Rated Initial Resistance (Pa)
<b>SAAFCarb</b>				
M401-111-003N	24 x 12 x 12	592 x 287 x 304	1,700	95
M401-111-002N	24 x 20 x 12	592 x 490 x 304	2,800	
M401-111-001N	24 x 24 x 12	592 x 592 x 304	3,400	
<b>SAAFCarb MA</b>				
M401-211-003N	24 x 12 x 12	592 x 287 x 304	1,700	68
M401-211-002N	24 x 20 x 12	592 x 490 x 304	2,800	
M401-211-001N	24 x 24 x 12	592 x 592 x 304	3,400	
<b>SAAFCarb MB</b>				
M401-311-003N	24 x 12 x 12	592 x 287 x 304	1,700	68
M401-311-002N	24 x 20 x 12	592 x 490 x 304	2,800	
M401-311-001N	24 x 24 x 12	592 x 592 x 304	3,400	